

**Notice of Allowability**

Application No.

10/823,104

Applicant(s)

MATSUOKA, RYOICHI

Examiner

Art Unit

Brandon W. Bowers

2825

*-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--*

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to the telephone call of 2 April 2007.

2.  The allowed claim(s) is/are 7-15 renumbered per 37 CFR 1.126.

3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a)  All    b)  Some\*    c)  None    of the:

1.  Certified copies of the priority documents have been received.

2.  Certified copies of the priority documents have been received in Application No. 10/147,417

3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

5.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.

(a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached  
    1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.

(b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of  
    Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

6.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1.  Notice of References Cited (PTO-892)

5.  Notice of Informal Patent Application

2.  Notice of Draftperson's Patent Drawing Review (PTO-948)

6.  Interview Summary (PTO-413),  
    Paper No./Mail Date \_\_\_\_\_.

3.  Information Disclosure Statements (PTO/SB/08),  
    Paper No./Mail Date \_\_\_\_\_.

7.  Examiner's Amendment/Comment

4.  Examiner's Comment Regarding Requirement for Deposit  
    of Biological Material

8.  Examiner's Statement of Reasons for Allowance

9.  Other \_\_\_\_\_.

*JACK CHIANG*  
JACK CHIANG  
SUPERVISORY PATENT EXAMINER

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Franco Di Ligouri on 2 April 2007.

The application has been amended as follows:

Cancel claim 16.

The following is an examiner's statement of reasons for allowance: While prior art of record teaches means for displaying a first CAD data with the displayed image an already formed pattern and means for comparing first and second CAD data it cannot be shown that the these means in combination inherently teach means for displaying the first and second CAD data with the displayed image of the already formed pattern as an overlapped image on the monitor to enable evaluation of a deviation of the already formed pattern from the first and second CAD data. Accordingly, prior art of record does not teach means for displaying the first and second CAD data with the displayed image of the already formed pattern as an overlapped image on the monitor to enable evaluation of a deviation of the already formed pattern from the first and second CAD data.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brandon W. Bowers whose telephone number is (571)272-1888. The examiner can normally be reached on 8:30 am until 5:00 pm Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jack Chiang can be reached on (571)272-7483. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

  
JACK CHIANG  
SUPERVISORY PATENT EXAMINER

BWB